Exercise – 13.1

- 1. Express the following linear equations in the form ax + by + c = 0 and indicate the values of a, b and c in each case:
 - (i)-2x + 3y = 12(v)2x + 3 = 0(ii) $x \frac{y}{2} 5 = 0$ (vi)y 5 = 0(iii) $2x + 3y = 9 \cdot 3\overline{5}$ (viii) $y = \frac{x}{2}$
 - $(iv) \qquad 3x = -7y$

Sol:

(i) We have

$$-2x + 3y = 12$$

$$\Rightarrow -2x + 3y - 12 = 0$$

On comparing this equation with ax + by + c = 0 we obtain a = -2, b = 3 and c = -12.

(ii) Given that

$$x - \frac{y}{2} - 5 = 0$$
$$1x - \frac{y}{2} - 5 = 0$$

On comparing this equation with ax + by + c = 0 we obtain $a = 1, b = \frac{-1}{2}$ and c = -5

(iii) Given that

 \Rightarrow

 $2x+3y=9\cdot 3\overline{5}$ $2x+3y-9\cdot 3\overline{5}=0$

On comparing this equation with ax + by + c = 0 we get a = 2, b = 3 and $c = -9 \cdot 3\overline{5}$

(iv)
$$3x = -7y \Longrightarrow 3x + 7y + 0 = 0$$

On comparing this equation with ax + by + c = 0 we get a = 3, b = 7 and c = 0.

(v) We have 2x+3=0

$$2x + 0(y) + 3 = 0$$

On comparing this equation with ax + by + c = 0 we get a = 2, b = 0 and c = 3

(vi) Given that

y-5=0 $\Rightarrow \qquad 0x+1y-5=0$

On comparing this equation with ax + by + c = 0 we get a = 0, b = 1 and c = -5

(vii) We have 4 = x $-3x + 0 \cdot y + 4 = 0$ On comparing the equation with ax + by + c = 0 we get a = -3, b = 0 and c = 4(viii) Given that,

$$y = \frac{x}{2}$$
$$\Rightarrow 2y = x$$
$$\Rightarrow x - 2y + 0 = 0$$

On comparing this equation with ax + by + c = 0 we get a = 1, b = -2 and c = 0

- 2. Write each of the following as an equation in two variables:
 - 2x = -3(i) (ii) y = 3 $5x = \frac{7}{2}$ (iii) $y = \frac{3}{2}x$ (iv) Sol: (i) We have 2x = -3 $\Rightarrow 2x + 3 = 0$ $\Rightarrow 2x + 0 \cdot y + 3 = 0$ (ii) We have, y = 3y - 3 = 0 $\Rightarrow 0 \cdot x + 1 \cdot y - 3 = 0$ (iii) Given $5x = \frac{7}{2}$ 10x - 7 = 0 $10x + 0 \cdot y - 7 = 0$ (iv) We have $y = \frac{3}{2}x$ 3x - 2y = 03x - 2y + 0 = 0

3. The cost of ball pen is Rs. 5 less than half of the cost of fountain pen. Write this statement as a linear equation in two variables.

Sol:

Let us assume the cost of the ball pen be Rs. x and that of a fountain pen to be y. then according to given statements

We have

$$x = \frac{y}{2} - 5$$
$$\Rightarrow 2x = y - 10$$
$$\Rightarrow 2x - y + 10 = 0$$

Exercise – 13.2

- **1.** Write two solutions for each of the following equations:
 - (i) 3x + 4y = 7
 - (ii) x = 6y
 - (iii) $x + \pi y = 4$

(iv)
$$\frac{2}{3}x - y = 4$$

Sol:

(i) Given that 3x + 4y = 7

Substituting x = 0 in this equation, we get $3 \times 0 + 4y = 7$

 $\Rightarrow y = \frac{7}{4}$

So, $\left(0, \frac{7}{4}\right)$ is a solution of the given equation substituting x = 1, in given equation, we

get

$$\Rightarrow 3 \times 1 + 4y = 7$$
$$\Rightarrow 4y = 7 - 3$$

$$\Rightarrow = 4$$

$$\Rightarrow y = 1$$

So, (1,1) is a solution of the given equation

$$\therefore \left(0, \frac{7}{4}\right)$$
 and $(1, 1)$ are the solutions for the given equation.

(ii) We have

x = 6y

Substituting y = 0 in this equation, we get $x = 6 \times 0 = 0$

So, (0,0) is a function of the given equation substituting y = 1, in the given equation, we

set $x = 6 \times 1 = 6$

So, (6,1) is a solution of the given equation.

 \therefore we obtain (0,0) and (6,1) as solutions of the given equation.

(iii) We have

 $x + \pi y = 4$

Substituting y = 0 in this equation, we get

 $x + \pi(0) = 4$

 $\Rightarrow x = 4$

So, (y, 0) is a solution of the give equation.

: we obtain (4,0) and (4-x) as solutions of the given equation.

(iv) Given that

$$\frac{2}{3}x - y =$$

4

Substituting y = 0 in this equation we get

$$\frac{2}{3}x - 0 = 4$$
$$\Rightarrow x = 4 \times \frac{3}{2}$$
$$\Rightarrow x = 6$$

So, (6,0) is a solution of the given equation

Substituting y = 1 in the given equation, we get

$$\frac{2}{3} \times -1 = 4$$

$$\frac{2}{3} x = 5 \Rightarrow x = \frac{15}{2}$$

So, $\left(\frac{15}{2}, 1\right)$ is a solution of the given equation.
 \therefore We obtain (6,0) and $\left(\frac{15}{2}, 1\right)$ as solutions of the given equation

2. Write two solutions of the form x = 0, y = a and x = b, y = 0 for each of the following equations:

(i) 5x - 2y = 10 (ii) -4x + 3y = 12 (iii) 2x + 3y = 24Sol:

(i) Given that

(ii)

5x - 2y = 10Substituting x = 0 in the equation 5x - 2y = 10We get $5 \times 0 - 2y = 10$ $\Rightarrow y = \frac{-10}{2} = -5$ Thus x = 0 and y = -5 is a solution of 5x - 2y = 10Substituting y = 0, we get \Rightarrow 5x - 2×0 = 10 \Rightarrow 5x = 10 $\Rightarrow x = 2$ Thus, x = 2 and y = 0 is a solution of 5x - 2y = 10Thus x = 0, y = -5 and x = 2, y = 0 are two solutions of 5x - 2y = 10Given that, -4x + 3y = 12Substituting x = 0 in the equation -4x + 3y = 12, we get $\Rightarrow -4 \times 0 + 3y = 12$ $\Rightarrow 3y = 12$ $\Rightarrow y = 4$ Thus x = 0 and y = 4 is a solution of -4x + 3y = 12Substituting y = 0 in the equation -4x + 3y = 12, we get $\Rightarrow -4x + 3 \times 0 = 12$ $\Rightarrow -4x = 12$ $\Rightarrow x = \frac{12}{-4} = -3$ Thus, x = -3 and y = 0 is a solution of -4x + 3y = 12. Thus x = 0, y = 4 and x = -3, y = 0 are two solutions of -4x + 3y = 12(iii) Given that 2x + 3y = 24Substituting x = 0 in the given equation 2x + 3y = 24, We get $\Rightarrow 2 \times 0 + 3y = 24$ $\Rightarrow 3v = 24$ $\Rightarrow y = \frac{24}{3} = 8$

3.

Thus, x = 0 and y = 8 is a solution of 2x + 3y = 24Substituting y = 0 in 2x + 3y = 24, we get $2x + 3 \times 0 = 24$ $\Rightarrow 2x = 24$ $\Rightarrow x = \frac{24}{2} = 12$ Thus x = 12 and y = 0 is a solution of 2x + 3y = 24Thus x = 0, y = -8 and x = 12, y = 0 are two solutions of 2x + 3y = 24Check which of the following are solutions of the equation 2x - y = 6 and which are not: (iii) (2, -2) (iv) $(\sqrt{3}, 0)$ $(v)\left(\frac{1}{2}, -5\right)$ (i) (3, 0)(ii) (0, 6)Sol: In the equation 2x - y = 6 we get LHS = 2x - y and RHS = 6Substituting x = 3 and y = 0 in 2x - y = 6, we get (i) $LHS = 2 \times 3 - 0 = 6 - 0 = 6 = RHS$ So, x = 3, y = 0 or (3, 0) is a solution of 2x - y = 6Substituting x = 0 and y = 6 in 2x - y = 6, we get (ii) $LHS = 2 \times 0 - 6 = -6 \neq RHS$ So, (0,6) is not a solution of the equation 2x - y = 6(iii) Substituting x = 2, y = -2 in 2x - y = 6, we get $LHS = 2 \times 2(-2) = 4 + 2 = 6 = RHS$ So, (2, -2) is a solution of 2x - y = 6Substituting $x = \sqrt{3}$ and y = 0 in 2x - y = 6, we get (iv) $LHS = 2 \times \sqrt{3} - 0 = 2\sqrt{3} \neq RHS$ So, $(\sqrt{3}, 0)$ is not a solution of the equation 2x - y = 6Substituting $x = \frac{1}{2}$ and y = -5 in 2x - y = 6, we get (v) $LHS = 2 \times \frac{1}{2} - (-5) = 1 + 5 = 6 = RHS$ So, $\left(\frac{1}{2}, -5\right)$ is a solution of the 2x - y = 6

4. If x = -1, y = 2 is a solution of the equation 3x + 4y = k, find the value of k.
Sol: Given that 3x + 4y = k It is given that x = -1 and y = 2 is a solution of the equation 3x + 4y = k ∴ 3×(-1)×4×2 = k ⇒ -3+8 = k ⇒ k = 5 ⇒ k = 5
5. Find the value of λ, if x = -λ and y = ⁵/₂ is a solution of the equation x + 4y - 7 = 0.

Sol: Given that x + 4y - 7 = 0

It is given that $x = -\lambda$ and $y = \frac{5}{2}$ is a solution of the equation x + 4y - 7 = 0

$$\therefore -1 + 4 \times \frac{5}{2} - 7 = 0$$
$$\Rightarrow -\lambda + 10 - 7 = 0$$
$$\Rightarrow -\lambda = -3$$
$$\Rightarrow \lambda = 3$$

6. If $x = 2\alpha + 1$ and $y = \alpha - 1$ is a solution of the equation 2x-3y + 5 = 0, find the value of α . Sol: We have

2x - 3y + 5 = 0It is given that $x = 2\alpha + 1$ and $= \alpha - 1$ is a solution of the equation 2x - 3y + 5 = 0 $\therefore 2(2\alpha + 1) - 3(\alpha + 1)5 = 0$ $\Rightarrow 4\alpha + 2 - 3\alpha + 3 + 5 = 0$ $\Rightarrow \alpha + 10 = 0$ $\Rightarrow \alpha = -10$

7. If x = 1 and y = 6 is a solution of the equation $8x - ay + a^2 = 0$, find the value of a. Sol: Given that $8x - ay + a^2 = 0$ It is given that x = 1 and y = 6 is a solution on the equation $8x - ay + a^2 = 0$ $\therefore 8 \times 1 - a \times 6 + a^{2} = 0$ $\Rightarrow 8 - 6a + a^{2} = 0$ $\Rightarrow a^{2} - 6a + 8 = 0$ $\Rightarrow a^{2} - 4a - 2a + 8 = 0$ $\Rightarrow a(a - 4)(a - 2) = 0$ $\Rightarrow a - 4 = 0 \text{ or } a - 2 = 0$ a - 4 = 0 or a = 2Hence a = 4 or a = 2

Exercise – 13.3

1. Draw the graph of each of the following linear equations in two variables:

(i) x + y = 4 $\mathbf{x} - \mathbf{y} = 2$ (ii) (iii) -x + y = 6(iv) y = 2x3x + 5y = 15(v) (vi) $\frac{x}{2} - \frac{y}{3} = 3$ (vii) $\frac{x-2}{3} = y - 3$ (viii) 2y = -x + 1Sol: We have x + y = 4(i) x = 4 - yPutting y = 0, we get x = 4 - 0 = 4Putting y = 3, we get x = 4 - 3 = 1Thus, we get the following table giving the two points on the line represented by the equation x + y = 4Graph for the equation x + y = 4



(ii) We have

x - y = 2

 $x = 2 + y \qquad \dots \dots (i)$

Putting y = 0, we get x = 2 + 0 = 2

Putting y = -2, we get x = 2 - 2 = 0

Thus, we get the following table giving the two points on the line represented by the equation x - y - 2

Graph for the equation x - y = 2



(iii) We have

-x + y = 6

 $\Rightarrow x = 6 + x$

Putting y = -4, we get y = 6 - 4 = 2

Putting x = -3 we get y = 6 - 3 = 3

Thus, we get the following table giving the two points on the line represented by the equation -x + y = 6

Graph for the equation -x + y = 6.



(iv) We have

$$y = 2x \qquad \dots \dots (i)$$

Putting x = 0, we get $y = 2 \times 0 = 0$

Putting x = 1 we get $y = 2 \times 1 = 2$

Thus, we get the following table giving the two points on the line represented by the equation y = 2x

Graph for the equation y = 2x



Thus, we get the following table giving the two points on the line represented by the equation 3x+5y-15

Graph for the equation 3x + 5y - 15



(vi) We have

$$\frac{x}{2} - \frac{y}{3} = 2$$

$$\Rightarrow \frac{3x - 2y}{6} = 2$$

$$\Rightarrow 3x - 2y = 12$$

$$\Rightarrow 3x = 12 + 2y$$

$$\Rightarrow x + \frac{12 + 2y}{3}$$
Equation (12 + 2)(-6)

Putting y = -6, we get $x = \frac{12+2(-6)}{3} = 0$

Putting y = -3, we get $x = \frac{12 + 2(-3)}{3} = 2$ Putting y = 0 we get $x = \frac{12+0}{3} = 4$ Thus, we get the following table giving the two points on the line represented by the equation $\frac{x}{2} - \frac{y}{3} = 2$ Graph for the equation $\frac{x}{2} - \frac{y}{3} = 2$ 5 н 3 2 X. (4,0) A -3 -2 -1 2 8 10 4 2 4 -2--3 -1

(vii) We have,

 $\frac{x-2}{3} = y-3$ $\Rightarrow x - 2 = 3(y - 3)$ $\Rightarrow x - 2 = 3y - 9$ $\Rightarrow x = 3y - 9 + 2$ $\Rightarrow x = 3y - 7$ Putting y = 0, we get $x - 0 = -7 \Rightarrow x = -7$ Putting y = 2, we get $x - 3(2) = -7 \Rightarrow x = -1$ Putting y = 3, we get $x = 3(3) - 7 \Rightarrow x = 2$ Thus, we get the following table giving the two points on the line represented by the equation $\frac{x-2}{y} = y-3$ Graph for the equation $\frac{x-2}{y} = y-3$ Š 7 6 Ś. ч 2.43 -4 3. (1,5) 607) hi. 1 4 5 6 ъ 1 8 -1 -2 -3 -4 -5

(viii) We have 2y = -x + 1 $\Rightarrow x - 1 = 2y$(1) Putting y = 0, we get $x = 1 - 2 \times 0 = 1$ Putting y = -1, we get x = 1 - 2(-1) = 3Thus, we have the following table giving the two points on the line represented by the equation 2y = x + 32y = -x + 1Graph for the equation 2y = -x + 14 4 3 2.1 235 U. O 3 4 5 6 -1 14 14 15 1- -1 1300 -2 -3 -4 16

2. Give the equations of two lines passing through (3, 12). How many more such lines are there, and why?

```
Sol:
The equation of two lines passing through (3,12) are
```

4x - y = 0

 $3x - y + 3 = 0 \qquad \dots \dots (i)$

There are infinitely many lines passing through (3,12)

3. A three-wheeler scooter charges Rs 15 for first kilometer and Rs 8 each for every subsequent kilometer. For a distance of x km, an amount of Rs y is paid. Write the linear equation representing the above information.

Sol:

Total fare of Rs y for covering distance of x kilometers is given by

y = 15 + 8(x-1) $\Rightarrow \qquad y = 15 + 8x - 8$ $\Rightarrow \qquad y = 8x + 7$

This is the required linear equation for the given information

4. A lending library has a fixed charge for the first three days and an additional charge for each day thereafter. Aarushi paid Rs 27 for a book kept for seven days. If fixed charges are Rs *x* and per day charges are Rs y. Write the linear equation representing the above information. Sol:

Total charges paid by Aarushi is given by

27 = x + 4y $\Rightarrow x + 4y = 27$

This is the required linear equation for the given information.

5. A number is 27 more than the number obtained by reversing its digits. If its unit's and ten's digit are x and y respectively, write the linear equation representing the above statement. Sol:

Total original number is 10y + x

The new number is obtained after reversing the order of digits is 10x + y

According to question

$$\Rightarrow 10y + x = 10x + y + 27$$

$$\Rightarrow 9y - 9x = 27$$

$$\Rightarrow y - x = 3$$

$$\Rightarrow x - y + 3 = 0$$

This is the required linear equator

This is the required linear equation for the given information.

6. The sum of a two digit number and the number obtained by reversing the order of its digits is 121. If units and ten's digit of the number are x and y respectively then write the linear equation representing the above statement.

Sol:

Total original number is 10y + x

The new number is obtained after reversing the order of digits is (10x + y)

According to problem

(10y+x)+(10x+y)=121

 \Rightarrow 11x+11y=121

```
\Rightarrow 11(x+y)=121
```

 $\Rightarrow x + y = 11$

Thus is the required linear equation for the given information

7. Plot the points (3, 5) and (-1, 3) on a graph paper and verify that the straight line passing through these points also passes through the point (1, 4).

Sol:

The points given in the graph:



It is clear from the graph the straight lines passes through these points also pass a through (1,4).

8. From the choices given below, choose the equation whose graph is given in Fig. below.



[Hint: Clearly, (-1, 1) and (1, -1) satisfy the equation x + y = 0] Sol:

Clearly (-1,1) and (1,-1) satisfy the equation x + y = 0

 \therefore The equation whose graph is given by x + y = 0

9. From the choices given below, choose the equation whose graph is given in fig. below. (i) y = x + 2 (ii) y = x - 2 (iii) y = -x + 2 (iv) x + 2y = 6



Sol:

Clearly (2,0) and (-1,3) satisfy the equation y = -x+2

 \therefore The equation whose graph is given by y = -x + 2

10. If the point (2, -2) lies on the graph of the linear equation 5x + ky = 4, find the value of k. Sol:

It is given that (2, -2) is a solution of the equation 5x + ky = 4

$$\therefore \qquad 5 \times 2 + k \times (-2) = 4$$

- $\Rightarrow 10-2k=4$
- $\Rightarrow -2k = 4 10$
- $\Rightarrow -2k = -6$
- $\Rightarrow k = 3.$
- 11. Draw the graph of the equation 2x + 3y = 12. From the graph, find the coordinates of the point: (i) whose y-coordinates is 3. (ii) whose x-coordinate is -3.

Sol:

Graph of the equation 2x + 3y = 12:

We have,

$$\Rightarrow 2x+3y=12$$
$$\Rightarrow 2x=12-3y$$
$$\Rightarrow x=\frac{12-3y}{2}$$

Putting *y* = 2, we get $x = \frac{12 - 3 \times 2}{2} = 3$

Putting y = -4, we get $x = \frac{12 - 3 \times 4}{2} = 0$

Thus, (3,0) and (0,4) are two points on the line 2x + 3y = 12

The graph of line represents by the equation 2x + 3y = 12

x	0	3
у	4	2

Graph of the equation 2x + 3y = 12



- (i) To find coordinates of the points when y = 3, we draw a line parallel to x axis and passing through (0,3) this lines meets the graph of 2x + 3y = 12 at a point p from which we draw a line parallel to y axis which process x axis at $x = \frac{3}{2}$, so the coordinates of the required points are $\left(\frac{3}{2}, 3\right)$.
- (ii) To find the coordinates of the points when x = -3 we draw a line parallel to y axisand passing through (-3,0). This lines meets the graph of 2x + 3y = 12 at a point p from which we draw a line parallel to x - axis crosses y - axis at y = 6, so, the coordinates of the required point are (-3,6).

12. Draw the graph of each of the equations given below. Also, find the coordinates of the points where the graph cuts the coordinate axes:

(i) 6x - 3y = 12 (ii) -x + 4y = 8 (iii) 2x + y = 6 (iv) 3x + 2y + 6 = 0Sol: (i) We have

$$6x-3y = 12$$

$$\Rightarrow \quad 3(2x-y) = 12$$

$$\Rightarrow \quad 2x-y = 4$$

$$\Rightarrow \quad 2x-4 = y$$

$$\Rightarrow \quad y = 2x-4 \qquad \dots (i)$$

Putting x = 0 in (i), we get y = -4

Putting x = 2 in (i), we get y = 0

Thus, we obtain the following table giving coordinates of two points on the line represented by the equation 6x - 3y = 12.

The graph of the line 6x - 3y = 12



(ii) We have

-x + 4y = 8 $\Rightarrow \quad 4y - 8 = x$ $\Rightarrow \quad x = 4y = 8$

Putting y = 1 in (i), we get $x = 4 \times 1 - 8 = -4$

Putting y = 2 in (i), we get $x = 4 \times 2 - 8 = 0$

Thus, we obtain the following table giving coordinates of two points on the line represented by the equation -x + 4y = -8

Graph of the equation -x + 4y = 8



 \Rightarrow y = 6 - 2x(*i*)

Putting x = 3 in (i), we get $y = 6 = 2 \times 3 = 0$

Putting x = 4 in (i), we get $y = 6 - 2 \times 4 = -2$

Thus, we obtain the following table giving coordinates of two points on the line represented by the equation 2x + y = 6

Graph of the equation 2x + y = 6



(iv) We have

$$3x+2y+6=0$$

$$\Rightarrow 2y=-6-3x$$

$$\Rightarrow y=\frac{-6-3x}{2}$$

Putting $x=-2$ in (i), we get $x=\frac{6-3(-2)}{2}=0$
Putting $x=-4$ in (i), we get $y=\frac{6-3(-4)}{2}=3$

Thus, we obtain the following table giving coordinates of two points on the line represented by the equation 3x+2y+6=0

```
Graph of the equation 3x - 2y + 6 = 0
```



13. Draw the graph of the equation 2x + y = 6. Shade the region bounded by the graph and the coordinate axes. Also, find the area of the shaded region.

Sol:

We have

2x + y = 6

 $y = 6 - 2x \qquad \dots \dots (i)$

Putting x = 3 in (i), we get $y = 6 - 2 \times 3 = 0$

Putting x = 0 in (i), we get $y = 6 - 2 \times 0 = 6$

Thus, we obtained the following table giving coordinates of two points on the line represented by the equation 2x + y = 6

x	3	0
у	0	6
The or	anh of	line 2r

The graph of line 2x + y = 6



14. Draw the graph of the equation $\frac{x}{3} + \frac{y}{4} = 1$. Also, find the area of the triangle formed by the line and the co-ordinates axes.

Sol:

We have

$$\frac{x}{3} + \frac{y}{4} = 1$$

$$\Rightarrow \quad 4x + 3y = 12$$

$$\Rightarrow \quad 4x = 12 - 3y$$

$$\Rightarrow \quad x = \frac{12 - 3y}{4}$$
12 2 0

Putting y = 0 in (i), we get $x = \frac{12 - 3 \times 0}{4} = 3$

Putting
$$y = -4$$
 in (ii), we get $x = \frac{12 - 3 \times 4}{4} = 0$

Thus, we obtained the following table giving coordinates of two points on the line represents



15. Draw the graph of y = |x|. **Sol:** We have

vve nave

 $y = |x| \qquad \dots \dots (i)$

Putting x = 0, we get y = 0

Putting x = 2, we get y = 2

Putting x = 2, we get y = -12

Thus, we have the following table for the two points on graph of |x|

x	0	2	-2
у	0	2	2
			1

Graph of line equation y = |x|



16. Draw the graph of y = |x| + 2. **Sol:** We have y = |x| + 2(*i*)

Putting x = 0, we get y = 2.....

Putting x = 1, we get y = 3

Putting x = -1, we get y = 3

Thus, the we have the following table for the points on graph of |x|+2

x	0	1	1
у	2	3	3

Graph of line equation y = |x| + 2



17. Draw the graphs of the following linear equations on the same graph paper: 2x + 3y = 12, x - y = 1.

Find the coordinates of the vertices of the triangle formed by the two straight lines and the y-axis. Also, find the area of the triangle.

Sol:

Graph of the equation 2x + 3y - 12 = 0

We have

$$2x+3y=12$$

$$\Rightarrow 2x=12-3y$$

$$\Rightarrow x=\frac{12-3y}{2}$$

Putting y = 4, we get $x = \frac{12 - 3 \times 4}{2} = 0$

Putting
$$y = 2$$
, we get $x = \frac{12 - 3 \times 2}{2} = 3$

Thus, we have the following table for the p table for the points on the line 2x + 3y = 12

x	0	3
у	4	2

Plotting points A(0,4), B(3,2) on the graph paper and drawing a line passing through them we obtain graph of the equation.

Graph of the equation

Graph of the equation x - y - 1:

We have $x - y = 1 \Longrightarrow x = 1 + y$

Thus, we have the following table for the points the line x - y = 1

x	1	0
y	0	-1

Plotting points C(1,0) and D(0,-1) on the same graph paper drawing a line passing through the m, we obtain the graph of the line represents by the equation x - y = 1.



Clearly two lines intersect at A(3,2).

The graph of time 2x+3y=12 intersect with y-axis at B(0,4) and the graph of the line x-y=1 intersect with y-axis at C(0,-1).

So, the vertices of the triangle formed by thee two straight lines and y-axis are A(3,2) and B(0,4) and C(0,-1)

Now,

Area of
$$\triangle ABC = \frac{1}{2} [Base \times Height]$$

= $\frac{1}{2} (BC \times AB)$
= $\frac{1}{2} (5+3)$
= $\frac{15}{2}$ sq.units

18. Draw the graphs of the linear equations 4x - 3y + 4 = 0 and 4x + 3y - 20 = 0. Find the area bounded by these lines and x-axis.

Sol: We have

$$4x-3y+4=0$$

$$\Rightarrow 4x-3y=4$$

$$\Rightarrow x = \frac{3y-4}{4}$$

Putting $y = 0$, we get $x = \frac{3 \times 0 - 4}{4} = -1$
Putting $y = 4$, we get $x = \frac{3 \times 4 - 4}{4} = 2$

Thus, we have the following table for the p table for the points on the line 4x - 3y + 4 = 0

	x	-1	2
	у	0	4
W	Ve have	e	

$$4x + 3y - 20 = 0$$

$$\Rightarrow \qquad 4x = 20 - 3y$$

$$\Rightarrow \qquad x = \frac{20 - 3y}{4}$$

Putting y = 0, we get $x = \frac{20 - 3 \times 0}{4} = 5$

Putting y = 4, we get $x = \frac{20 - 3 \times 4}{4} = 2$.

Thus, we have the following table for the p table for the points on the line 4x - 3y - 20 = 0

x	0	2
у	0	4



Clearly, two lines intersect at A(2,4).

The graph of the lines 4x - 3y + 4 = 0 and 4x + 3y - 20 = 0 intersect with y - axis at a + B(-1,0) and c(5,0) respectively \therefore Area of $\Delta ABC = \frac{1}{2} [Base \times height]$ $= \frac{1}{2} (BC \times AB)$ $= \frac{1}{2} (6 \times 4)$ $= 3 \times 4$ = 12 sq.units \therefore Area of $\Delta ABC = 12$ sq.units 19. The path of a train A is given by the equation 3x + 4y - 12 = 0 and the path of another train B is given by the equation 6x + 8y - 48 = 0. Represent this situation graphically. Sol:

We have,

$$3x + 4y - 12 = 0$$

$$\Rightarrow \quad 3x = 12 - 4y$$

$$\Rightarrow \quad 3x = \frac{12 - 4y}{3}$$

Putting $y = 0$, we get $x = \frac{12 - 4 \times 0}{3} = 4$

Putting y = 3, we get $x = \frac{12 - 4 \times 3}{3} = 0$

Thus, we have the following table for the points on the line 3x + 4y - 12 = 0:

 $x \quad 4 \quad 0$ $y \quad 0 \quad 3$ We have 6x + 8y - 48 = 0 6x + 8y = 48 6x = 48 - 8y $x = 48 - \frac{8y}{6}$

Putting y = 6, we get $x = \frac{48 - 8 \times 6}{6} = 0$ Putting y = 4, we get $x = \frac{48 - 8 \times 3}{6} = 4$

Thus, we have the following table for the points on the line 6x + 8y - 48 = 0

x	0	4
у	6	3



20. Ravish tells his daughter Aarushi, "Seven years ago, I was seven times as old as you were then. Also, three years from now, I shall be three times as old as you will be". If present ages of Aarushi and Ravish are x and y years respectively, represent this situation algebraically as well as graphically.

Sol:

It is given that seven year ago Harish was seven times a sold as his daughter

$$\therefore 7(x-y) = y-7$$

$$\Rightarrow 7x-49 = y-7$$

$$\Rightarrow 7x-42 = y \qquad \dots \dots (i)$$

It is also given that after three years from now Ravish shall be three times a sold as her daughter

$$\therefore 3(x+3) = y+3 \Rightarrow 3x+9 = y+3 \Rightarrow 3x+6 = y \qquad \dots \dots (ii)$$

Now, $y = 7x-42$ [using (i)]
Putting $x = 6$, we get $y = 7 \times 6 - 42 = 0$
Putting $x = 5$, we get $y = 7 \times 5 - 42 = -7$

Thus, we have following table for the points on the

Line 7x-42 = y: $x \quad 6 \quad 5$ $y \quad 0 \quad -7$ We have, y = 3x+6 [using (ii)] Putting x = -2, we get $y = 3 \times (-2) + 6 = 0$

Putting x = -1, we get $y = 3 \times (-1) + 6 = 3$

Thus, we have following table for the points on the

Line y = 3x + 6:

x	-1	-2
у	3	0



21. Aarushi was driving a car with uniform speed of 60 km/h. Draw distance-time graph. From the graph, find the distance travelled by Aarushi in

(i)
$$2\frac{1}{2}$$
 Hours (ii) $\frac{1}{2}$ Hour

Sol:

Let x be the time and y be the distance travelled by Aarushi

It is given that speed of car is 60 km/h

We know that speed = $\frac{\text{distance}}{\text{speed}}$

 $\Rightarrow 60 = \frac{y}{x}$ $\Rightarrow y = 60x$

Putting x = 1, we get y = 60

Putting x = 2, we get y = 120

Thus, we have the following table for the points on the line y = 60x

x	1	2
у	60	120



Exercise – 13.4



x = 2

Point A represents x = 2 number line

On Cartesian plane, equation represents all points on y-axis for which x=2



y + 3 = 0

y = -3

Point A represents -3 on number line

On Cartesian plane equation represents all the points on x - axis for which y = -3. (iii)



y = 3.

Point A represents 3 on number line

On Cartesian plane, equation represents all points on x - axis for which y = 3 (iv)



2x+9=02x=-9 $x=\frac{-9}{2}=-4.5$

Point A represents -4.5 on number line

On Cartesian plane, equation represents all points on y - axis for which x = -4.5 (v)



Point A represents $1\frac{1}{2}(\text{or})\frac{5}{3}$ on number line

On Cartesian plane, equation represents all points on y - axis for which x = 16

2. Give the geometrical representation of 2x + 13 = 0 as an equation in (i) one variable (ii) two variables
Sol:

(i)

One variable representation of 2x + 13 = 0

2x = -13 $x = \frac{-13}{2} = -6\frac{1}{2}$



Two variable representation of 2x + 13 = 0

2x + 0y + 13 = 02x + 13 = 02x = -13 $x = \frac{-13}{2}$ $x = -6 \cdot 5$

On Cartesian plane, equation represents all points y - axis for which x = -6.5.

Solve the equation 3x + 2 = x - 8, and represent the solution on (i) the number line (ii) the 3. Cartesian plane.

Sol:

(i)

$$3x + 2 = x - 8$$

$$\Rightarrow 3x - x = 8 - 2$$

$$\Rightarrow 2x = -10$$

$$\Rightarrow x = -5$$
Points A represents -5 on number line

Points A represents -5 on number line



On Cartesian plane, equation represents all points on y - axis for which x = 5

- 4. Write the equation of the line that is parallel to x-axis and passing through the point (i) (0, 3) (ii) (0, -4) (iii) (2, -5) (iv) (3, 4) Sol:
 - (i) The equation of the line that is parallel to x-axis and passing through the point (0,3) is y=3.
 - (ii) The equation of the line that is parallel to x axis and passing through the point (0, -4) is y = 4.
 - (iii) The equation of the line that is parallel to x axis and passing through the point (2, -5) is y = -5
 - (iv) The equation of the line that is parallel to x axis and passing through the point (-4, -3) is y = -3
- 5. Write the equation of the line that is parallel to y-axis and passing through the point (i) (4, 0) (ii) (-2, 0) (iii) (3, 5) (iv) (-4, -3)Sol:
 - (i) The equation of the line that is parallel to y axis and passing through (4,0) will be x = 4
 - (ii) The equation of the line that is parallel to y axis and passing through (-2,0) will be x = -2
 - (iii) The equation of the line that is parallel to y axis and passing through (3,5) will be x=3
 - (iv) The equation of the line that is parallel to y axis and passing through (-4, -3) will be x = -4.